## UNITED STATES DEPARTMENT OF AGRICULTURE, FEDERAL HORTICULTURAL BOARD,

WASHINGTON. D. C.

July 10, PFP4.

Department us man re-

NEWS LETTER NO. 12.

Dear Sir:

Perhaps the most important finding indicated in the accompanying list of imported pests is the olive fruit fly (Dacus oleae), which was detected in seed of olive (Olea flaveolata) from Cape Colony, South Africa. In addition to the olive fruit fly there were also present a few dead adults of what appeared to be Dacus semispharens. It is of interest to relate that live adults of the olive fruit fly were present in the box of seed, which was en route 28 days. The presence of these live adults was undoubtedly due to the fact that in collecting the seed a number of fruit-fly puparia were accidently scraped up from the ground and enclosed.

Dr. Perley Spaulding, Pathological Inspector, has been transferred to the Office of Forest Pathology, Bureau of Plant Industry, where he will continue his investigation of the white pine blister rust.

Prof. R. Kent Beattie, of the Office of Forest Pathology, Bureau of Plant Industry, and formerly Botanist of the Washington State College, has been appointed Pathological Inspector for the Board, effective July 16.

Yours very truly,

C. L. MARLATT,

Chairman of Board.

List by Countries of Pests Collected.

| Name of Pest.   | Host.   |
|---|---|
| BELGIAN CONGO.  |   |
| Calandra oryza (Rice weevil)  | African millet seed.  |
| BELGIUM.  |   |
| Aspidiotus britannicus (Scale insect)  "hederae (Ivy scale) Cerataphis lataniae (Plant louse) Coccus hesperidum (Soft brown scale)  """"  Diaspis boisduvalii (Scale insect) Lepidopterous papa Pseudococcus sp. (Mealy bug) Pulvinaria sp. | Bay trees Palm Orchids Bay trees (6) Orchids " (2) Araucarias Metrosideros floribunda Orchids |
| BRAZIL.   |   |
| Aspidiotus hederae (Ivy scale)<br>Cerataphis lataniae (Plant louse)<br>Coleopterous larva<br>Isosoma orchidearum (Cattleya fly)   | Orchids<br>"<br>Araucaria bra <b>ziliensis</b><br>Orchids                                     |
| CAPE COLONY (SOUTH AF   | RICA).  |
| Dacus oleae (Olive fruit fly) " semispharens (?) (Fruit fly)  | Olea flaveolata   |
| CHINA.  |   |
| Bruchus sp. (Weevil) Diseases: Diplodia sp. Ustilago hordei? (Smut)   | Gleditsia sinensis<br>Juniperus chinensis<br>Barley   |
| COLOMBIA.   |   |
| Aspidiotus hederae (Ivy scale)<br>Diaspis boisduvalii (Scale insect)<br>Isosoma orchidearum (Cattleya fly)<br>Thrips  | Orchids " " " "   |

| Name of Pest.  | Host.                                  |  |  |  |
|--|--|--|--|--|
| COSTA RICA.  |  |  |  |  |
| Rhinochenus stigma (Curculionid) In                                      | seed pod of Hymenaea courtaril         |  |  |  |
| CUBA.  |  |  |  |  |
| Disease:<br>Phlyctaena sp.   | Myroxylon balsamum pereirae            |  |  |  |
| ECUADOR.   |  |  |  |  |
| Tyroglyphus n. sp. (White mite)  | Guanavana                              |  |  |  |
| ENGLAND.   |  |  |  |  |
| Diaspis boisduvalii (Scale insect) Isosoma orchidearum (Cattleya fly)    | Orchids (2)<br>Orchids                 |  |  |  |
| FRANCE.  |  |  |  |  |
| Aphids (Plant lice)  | Abies nigra<br>Berberis purpurea       |  |  |  |
| Diaspis echinocacti opuntiae<br>Saissetia oleae (Black scale)            | Opuntia<br>Feijoa fruit trees          |  |  |  |
| GUATEMALA  | <u>A</u> .                             |  |  |  |
| Hymenorus americanus (Beetle)<br>Cathartus advena (Foreign Grain Beetle) | Solanum muricatum<br>Avocado seed      |  |  |  |
| HOLLAND  | •                                      |  |  |  |
| Curculionid larva (?) Leaf miner (?) Lecanium coryli (Soft scale-insect) | Hydrangea<br>Boxwood<br>Horse chestnut |  |  |  |
| Disease: Bacterium tumefaciens (Crown gall)                              | Roses                                  |  |  |  |

Host. Name of Pest. INDIA. Seed of Coiz sp. Laemophloeus minutus (Beetle) Sitotroga cerealella (Angoumois grain moth) Oryza sativa Tribolium confusum (Confused flour beetle) Diseases: Hendersonia sp. Coix gigantea v. aquatica Ustilago coicis Coix lachryma-jobi var. ma-yuen IRELAND. Disease: Rose Canker MAURITIUS. Disease: Hyophorbe amaricaulis Diplodia sp. MEXICO. Cathartus advena (Foreign Grain Beetle) Avocado seed Diseases: Puccinia graminis Wheat Ustilago hordei (Smut) Barley NEW ZEALAND. Aspidiotus camelliae (Greedy scale) Veronica Chionaspis sp. (Scale insect) Tree ferns Chrysomphalus rossi (Scale insect) Rhopalostyles sapeda Lecanium sp. (Scale insect) Myrtus bullata Nothopanax arborium Coprosma Leucaspis sp. Podocarpus Dremys Griselinia Pseudococcus calceolariae (Mealy bug) New Zealand flax PARAGUAY. Diseases:

Cassava

Sugar cane

Lasiodiplodia

Melanconium sacchari

| Name of Pest.   | Host.                 |
|---|-----------------------|
| PHILIPPINE ISLANDS.   |                       |
| Chrysomphalus rossi (Scale insect) Pulvinaria sp. (Scale insect) Saissetia hemisphaerica (Hemispherical scale)                                    | Orchids<br>"          |
| TRANSVAAL (SOUTH AFRICA).   |                       |
| Disease:<br>Smut (undetermined)   | Fingerhuthia africana |
| TRINIDAD.   |                       |
| Howardia biclavis (Mining scale) Pseudococcus adonidum (Long-tailed mealy bug) Saissetia oleae (Black scale) Vinsonia stellifera (Stellate scale) | Sapodilla             |

List by States of Pests Collected.

| Name of Pest.  | H                                       | ost.   | Country of origin  |
|--|---|--|--|
|  | ALABAM                                  | <u>A</u> .   |  |
| Coccus hesperidum (Soft l                              | prown scale)                            | Bay trees  | Belgium  |
|  | CALIFOR                                 | NIA.   | ,  |
| Aspidiotus camelliae (Gre<br>Cerataphis lataniae (Plan | <del>-</del>                            | Veronica<br>Orchids                                    | New Zealan<br>Brazil<br>Belgium  |
| Chionaspis sp. (Scale ins<br>Chrysomphalus rossi (Scal | le in <b>s</b> ect)                     | Rhopalostyles sapeda                                   | New Zealand<br>lippine Islands<br>New Zestan   |
| Coccus hesperidum (Soft F<br>Diaspis boisduvalii (Scal |   | Orehids<br>"   | Belgium<br>Colombia<br>England (2)   |
| n n n n n n n n n n n n n n n n n n n                  | leya fly)                               | 11<br>11<br>11   | Belgium<br>Colombia<br>Brazil  |
| Lecanium sp. (Scale insec                              | • | Myrtus bullata<br>Nothopanax arborium                  | England<br>New Zealand   |
| Leucaspis sp. " "                                      |   | Coprosma Podocarpus Dremys Griselinia                  |  |
| Pseudococcus calceolariae<br>Pulvinaria sp. (Scale ins |   | New Zealand flax                                       | " "<br>Lippine Islands<br>Belgium  |
| Saissetia hemisphaerica ( " oleae (Black so Thrips     |   | l scale) Orchids Phil<br>Feijoa fruit trees<br>Orchids | ippine Islands<br>France<br>Colombia   |
|  | DISTRICT OF C                           | COLUMBIA.  | and a substitute of the substi |
| Bruchus sp. (Weevil)<br>Calandra oryza (Rice wee       | vil)                                    | Gleditsia sinensis<br>African millet seed              | China<br>Belgian Con   |

## Calandra oryza (Rice weevil) , Coleopterous larva

Dacus oleae (Olive fruit fly) " semispharens (?) (Fruit fly) Diaspis echinocacti opuntiae (Scale insect) Opuntia Howardia biclavis (Mining scale)

Sapodilla

Olea flaveolata

Araucaria braziliensis

Brazil Cape Colony

France Trinidad

| Name of Pest.  | Host.   | Country of origin.                               |
|--|---|--|
| DISTRICT OF  | COLUMBIA (Continued).   |  |
| Hymenorus americanus (Beetle)<br>Laemophloeus minutus (Beetle)<br>Pseudococcus adonidum (Long-ta:<br>Rhinochenus stigma (Curculionic                 | Seed of Coiz sp. iled mealy bug) Sapodilla d) In seed pod of Hymer                              |  |
| Saissetia oleae (Black scale)<br>Cathartus advena (Foreign grain   |   | Il Costa Rica<br>Trinidad<br>Mexico<br>Guatemala |
| Sitotroga cerealella (Angoumois<br>Tribolium confusum (Confused fl<br>Tyroglyphus n.sp. (White mite)<br>Vinsonia stellifera (Stellate s<br>Diseases: | lour beetle) " "  | India<br>"<br>Ecuador<br>Trinidad                |
| Diplodia sp. " Hendersonia sp. Lasiodiplodia sp.   | Juniperus chinensis<br>Hyophorbe amaricauli<br>Coix gigantea v. aqua<br>Cassava                 | atica India<br>Paraguay                          |
| Melanconium sacchari<br>Phlyctaena sp.<br>Puccinia graminis<br>Smut (undetermined)<br>Ustilago coicis<br>Ustilago hordei (Smut)                      | Sugar cane Myroxylon balsamum po Wheat Fingerhuthia africane Coix lachryma-jobi var. ma- Barley | Mexico<br>Transvaal                              |
| Ustilago hordei? (Smut)  |   | China  |
|  | FLORIDA.  |  |
| Aspidiotus hederae (Ivy scale)   | Pa1m  | Belgium  |
|  | MARYLAND.   |  |
| Lepidopterous pupa   | Araucarias  | Belgium  |
| MA   | SSACHUSETTS.  |  |
| Aspidiotus britannicus (Scale : hederae (Ivy scale)  | · · · · · · · · · · · · · · · · · · ·   | Belgium<br>Colombia<br>Brazil                    |

Coccus hesperidum (Soft brown scale) Bay trees

Brazil Belgium

| Name of Pest   | Host                                | Country of origin |
|--|-------------------------------------|-------------------|
| MI   | CHIGAN.                             |                   |
| Coccus hesperidum (Soft brown sc                                 | ale) Bay trees                      | Belgium (3)       |
| NEW  | JERSEY.                             |                   |
| Diaspis boisduvalii (Scale insec<br>Pseudococcus sp. (Mealy bug) | t) Orchids<br>Metrosideros floribun | Belgium<br>da "   |
| PEN  | NSYLVANIA.                          |                   |
| Coccus hesperidum (Soft brown sc<br>Disease:                     | ale) Bay trees                      | Belgium           |
| Canker   | Rose                                | Ireland           |
|  | UTAH.                               |                   |
| Curculionid larva (?) Leaf miner (?) Disease:                    | Hydrangea<br>Boxwood                | Holland "         |
| Bacterium tumefaciens (Crown gal                                 | l) Roses                            | 11                |
| w <sub>A</sub>   | SHINGTON.                           |                   |
| Aphids (Plant lice)  | Abies nigra<br>Berberis purpurea    | France            |
| W  | sconsin.                            |                   |
| Mecanium coryli (Scale insect)                                   | Horse chestnut                      | Holland           |